

# PHYS121

---

## Mechanics and Fluids

Dr. T. Greenshaw,  
Room 332, Oliver Lodge Lab.  
Tel. 0151 794 3383  
Email [green@hep.ph.liv.ac.uk](mailto:green@hep.ph.liv.ac.uk)

First Semester 2001/2002

Lectures:

|     |       |        |
|-----|-------|--------|
| Mon | 12:00 | Chad M |
| Wed | 10:00 | Chad M |

Problems Class timetabled for:

|     |       |        |
|-----|-------|--------|
| Fri | 12:00 | Chad L |
|-----|-------|--------|

Reschedule to:

|             |              |               |
|-------------|--------------|---------------|
| <u>Tues</u> | <u>13:00</u> | <u>Chad M</u> |
|-------------|--------------|---------------|

## Contents

---

### Mechanics

- ◆ Force and Motion, Friction, Circular Motion
- ◆ Work and Kinetic Energy
- ◆ Conservation of Energy
- ◆ Systems of Particles, Rocket Equation
- ◆ Momentum, Collisions
- ◆ Rotation, Angular quantities as Vectors, Moment of Inertia, Torque
- ◆ Rolling, Angular Momentum, Precession
- ◆ Static Equilibrium
- ◆ Oscillations
- ◆ Gravity, Planetary Motion
- ◆ Non-Inertial Systems

## Contents cont.

---

### Fluids

- ◆ Pascal's principle
- ◆ Archimedes' principle
- ◆ Bernoulli's equation

## Bibliography

---

- ◆ "Fundamentals of Physics", extended sixth edition, by Halliday, Resnick and Walker.
- ◆ "University Physics", Young and Freedman.
- ◆ "Physics for Scientists and Engineers", Serway.
- ◆ "Physics", Breithaupt.
- ◆ "Classical Mechanics", H. Goldstein.
  
- ◆ Web site for course:
- ◆ <http://hep.ph.liv.ac.uk/~green/mechanics>

## Lecture 1

---

- ◆ Introductory remarks
  - Units
  - SI prefixes
  - Force and Motion, suggested reading
  - Newton's Laws
  - Vectors

## Introductory Remarks

---

### *Units*

We use SI units, but you will encounter other systems, the fundamental quantities in some of these are:

|                   | SI  | cgs                              | fps                      |
|-------------------|---|----------------------------------|--------------------------|
| Length            | metre<br>(m)                                | centimetre<br>(cm)               | foot<br>(ft)             |
| Mass              | kilogram<br>(kg)                            | gram<br>(g)                      | pound<br>(lb)            |
| Time              | second<br>(s)                               | second<br>(s)                    | second<br>(s)            |
| Accel-<br>eration | $(\text{m s}^{-2})$                         | $(\text{cm s}^{-2})$             | $(\text{ft s}^{-2})$     |
| Force             | newton<br>( $\text{N}=\text{kg m s}^{-2}$ ) | dyne<br>( $\text{g cm s}^{-2}$ ) | pound-<br>force<br>(lbf) |

## Units cont.

---

### *Conversion factors:*

1 inch = 2.54 cm so 1 ft = 0.3048 m

1 lb = 0.4536 kg

### *SI Prefixes*

| Prefix | Symbol | Factor     |
|--------|--------|------------|
| tera   | T      | $10^{12}$  |
| giga   | G      | $10^9$     |
| mega   | M      | $10^6$     |
| kilo   | k      | $10^3$     |
| hecto  | h      | $10^2$     |
| deca   | da     | $10^1$     |
| deci   | d      | $10^{-1}$  |
| centi  | c      | $10^{-2}$  |
| milli  | m      | $10^{-3}$  |
| micro  | $\mu$  | $10^{-6}$  |
| nano   | n      | $10^{-9}$  |
| pico   | p      | $10^{-12}$ |
| femto  | f      | $10^{-15}$ |
| atto   | a      | $10^{-18}$ |

## Force and Motion

---

- ◆ Read H, R & W Chapt.s 1 – 5, in particular:
  - Straight line motion
  - Vectors
  - Relative motion
  - Newton's Laws
- ◆ Have a go at the problems!


## Newton's Laws

- ◆ First Law:
    - No net force acting on a body
      - » Body at rest remains at rest.
      - » Body in motion continues motion with constant velocity.
  - ◆ Second Law
    - A net force acting on a body causes it to change its momentum according to:
- $$\sum \mathbf{F} = \frac{d}{dt} \mathbf{p}$$
- ◆ Third Law
    - If body A exerts a force  $\mathbf{F}_{AB}$  on body B, then body B exerts a force  $\mathbf{F}_{BA}$  on body A such that  $\mathbf{F}_{AB} = -\mathbf{F}_{BA}$ .



## Vectors


- ◆ Vectors have direction (arrow) and magnitude (length).



## Vectors cont.

---


### ◆ Magnitude



A horizontal vector labeled **a** is shown above a double-headed arrow labeled **a**. Below this, the magnitude of **a** is given as  $a = |\mathbf{a}|$ , which is equal to the square root of the sum of the squares of its components:  $= \sqrt{a_x^2 + a_y^2 + a_z^2}$ .

$$a = |\mathbf{a}|$$
$$= \sqrt{a_x^2 + a_y^2 + a_z^2}$$

### ◆ Vector addition




$$\mathbf{c} = \mathbf{a} + \mathbf{b}$$

$$(c_x, c_y, c_z) = (a_x + b_x, a_y + b_y, a_z + b_z)$$

## Vectors cont.

---

### ◆ Multiplication by scalar




$$\mathbf{b} = k\mathbf{a}$$

$$(b_x, b_y, b_z) = (ka_x, ka_y, ka_z)$$

## Vectors cont.

---

### ◆ Scalar or dot product



$$\mathbf{a} \cdot \mathbf{b} = ab \cos \theta$$

$$= (a_x b_x + a_y b_y + a_z b_z)$$


e.g. Work done by force  $\mathbf{F}$  moving displacement  $\mathbf{d}$ :

$$W = \mathbf{F} \cdot \mathbf{d}$$

## Vectors cont.

---

### ◆ Vector or cross product



e.g. Torque of force  $\mathbf{F}$  at displacement  $\mathbf{r}$ :  $\boldsymbol{\tau} = \mathbf{r} \times \mathbf{F}$