Module testing stages comparison for: Ox9

Stage 2: .../bundle/data/ATLAS/pixel/RAL_data/Ox9/1-ReceptionTestRAL

Stage 3: .../bundle/data/ATLAS/pixel/RAL_data/Ox9/2-RingForLiv

Stage 4: .../bundle/data/ATLAS/dervan/Ring1/Ox9

discbumpscan (Module: Ox9) (Stage4)



discbumpscan (Module: Ox9) (Stage3)



discbumpscan (Module: Ox9) (Stage2)



discbumpscan (Module: Ox9) (Stage4) (occupancy=0)

Total counts: 0(nm), (0(msk))/307200=(0.0%)0.0% dead



discbumpscan (Module: Ox9) (Stage3) (occupancy=0)

Total counts: 0(nm), (0(msk))/307200=(0.0%)0.0% dead



discbumpscan (Module: Ox9) (Stage2) (occupancy=0)

Total counts: 0(nm), (0(msk))/307200=(0.0%)0.0% dead



discbumpscan (Module: Ox9) (Stage4) (98<occupancy<102)

Total counts: 0/307200=0.0%



discbumpscan (Module: Ox9) (Stage3) (98<occupancy<102)

Total counts: 0/307200=0.0%



discbumpscan (Module: Ox9) (Stage2) (98<occupancy<102)

Total counts: 0/307200=0.0%



discbumpscan (Module: Ox9) (Stage4)

Total good bumps: 0/307200=0.0%



discbumpscan (Module: Ox9) (Stage3)

Total good bumps: 0/307200=0.0%



discbumpscan (Module: Ox9) (Stage2)

Total good bumps: 0/307200=0.0%