

## Module testing stages comparison for: ThinQ6

Stage 1: .../bundle/data/ATLAS/dervan/Ring1/coldstart/10degrees

$$\text{IV: } T_{\text{meas}} = 288.1 \text{ K}$$


Stage 2: .../bundle/data/ATLAS/dervan/Ring1/coldstart/0degrees


$$\text{IV: } T_{\text{meas}} = 278.1 \text{ K}$$


Stage 3: .../bundle/data/ATLAS/dervan/Ring1/coldstart/m10degrees


Stage 4: .../bundle/data/ATLAS/dervan/Ring1/coldstart/m20degrees


Stage 5: .../bundle/data/ATLAS/dervan/Ring1/coldstart/m30degrees

















Columns





Not Available

Not Available


Not Available









Module: ThinQ6, 20UPGFC0012840 (FE1)  
crosstalkscan Evolution plot (occupancy=0)



Module: ThinQ6, 20UPGFC0012967 (FE4)  
crosstalkscan Evolution plot (occupancy=0)



Module: ThinQ6, 20UPGFC0012856 (FE2)  
crosstalkscan Evolution plot (occupancy=0)



Module: ThinQ6, 20UPGFC0012935 (FE3)  
crosstalkscan Evolution plot (occupancy=0)

