

Source	Variation up (Stat. up) %	Variation down (Stat. down) %
MatrixElement-Top2L_SR2L	-1000.0	1000.0
PartonShower-Top2L_SR2L	18.2554	-18.2554
MatrixElement-Top2L_tW2L_CRtt	8.3168	-8.3168
PartonShower-Top2L_tW2L_CRtt	15.5394	-15.5394
MatrixElement-Top2L_tW2L_VRtt	9.2104	-9.2104
PartonShower-Top2L_tW2L_VRtt	15.4092	-15.4092
FSR-Top2L_SR2L	6.6008	2.2838
ISR-Top2L_SR2L	18.9319	-21.7728
FSR-Top2L_tW2L_CRtt	0.6287	-2.2402
ISR-Top2L_tW2L_CRtt	12.674	-12.626
FSR-Top2L_tW2L_CRttZ	-1000.0	1000.0
ISR-Top2L_tW2L_CRttZ	-1000.0	1000.0
FSR-Top2L_tW2L_CRWZ	-1000.0	1000.0
ISR-Top2L_tW2L_CRWZ	-1000.0	1000.0
FSR-Top2L_tW2L_VRtt	2.2359	-1.2163
ISR-Top2L_tW2L_VRtt	11.0927	-9.9943